


Required Data Centers and Interoperable services

Sébastien Denvil

Institut Pierre Simon Laplace (IPSL)





Institut
**Pierre
Simon
Laplace**


www.ipsl.fr




Institut Pierre-Simon Laplace (IPSL) is a federation of
9 public research laboratories in the field of **Earth and
planetary environmental sciences.**

Observ planets

IPSL wants to detect evolution and variation of climate and environment either from space or from ground stations that are part of international networks.



CALIPSO launched in april 2006 is part of the A-Train constellation. A platform dedicated to clouds and aerosols climatological studies.



***The ozone
« hole » is
continuously
monitored
from space
since 1978***



***Ice are climate evolution
witness. This ice core was
extracted from the EPICA
site on the Concordia
basement in the Antarctic.***

Experiment to understand

IPSL scientists organize with their french and international partners multidisciplinary in situ observation campaign to understand key processes and interactions at play between natural environments (ocean, atmosphere, ice, continental surfaces)



ParisFog observational campaign aims to understand the physico-chemical processes controlling the fog life cycle.

The expansion of urban areas affects the quality of the air. Climate change and land use change are to fog-related settings. The campaign is led by the IPSL SIRTa remote sensing Site.


HyMeX campaign aim was to enhance hydrometeorologic risk predictability in the Mediterranean area.

ChArMEx campaign completed a comprehensive inventory of the atmospheric pollution in the Mediterranean area in order to improve our understanding atmospheric pollution and climate interactions.



Some Obs4MIPs basic tenets

- Use the CMIP5 simulation protocol as guideline for deciding which observations to select.
Initial Target was monthly averaged (OMON, AMON) products on 1 x 1 degree grid
- Convert Observations to CMIP5 model output format
CMOR output, NetCDF files, CF Convention Metadata, CMIP standard pressure levels, etc.
Not a new product. Independent QC check before release.
- Includes a 6-8 page Technical Note describing strengths/weaknesses, uncertainties, caveats regarding comparisons with models.
(at graduate student level)
- Available via ESGF
(analogous to CMIP5)



Obs4MIPs to report annually to WDAC/WCRP and WMAC/WCRP

Three independent initiatives

- 1) a US effort initiated and supported by NASA/JPL since about 2008 : Obs4MIPs_historical
- 2) a EU effort initiated by ESA since about 2010: Climate Change initiative (CMUG-CCI)
- 3) a joint EU & US effort initiated and supported by IPSL since about 2008: CFMIPObs (focus on Clouds)

Pursuing a similar objective:

Facilitate the use of satellite data for climate model evaluation

Using a similar approach:

Identify target quantities and make them available and easy to use by non remote sensing experts


... To be merged together:

since 2012, Obs4MIPs_historical and CFMIP-Obs are available on the ESG under the name « Obs4MIPs »

=> Today EU contributes to Obs4MIPs with CFMIPObs through the IPSL node


Climate Models

The group's objective is the study of natural and anthropogenic variability in the global climate system. IPSL is also studying climate change impacts and usage of climate projections for adaptation to climate change related to industry. IPSL is one of the climate modeling centre of international repute contributing to the IPCC (Intergovernmental Panel on Climate Change).





Crossing data


All data gathered together by IPSL, coming from field campaign, from observational network or from numerical simulations are stored in database. They are available to the scientific community within IPSL and at national and international level. Data are transferred to the civil society for operational applications (Climate Services, Copernicus program...).



Models data



Ground observations



Satellite observations

IPSL has engaged with ESGF development and governance. IPSL is representing Météo-France, CERFACS and the National Supercomputing ecosystem within ESGF.

IPSL mesoscale computing and data centre hosts data and computing services relevant for IPSL research.




Supercomputing Ecosystem

In France, created in 2007 GENCI aims is to catch up with european HPC standards.

- Represent France in PRACE
- End of 2014, national computing capacity was
 - 5,1 Pflop/s
 - 4 supercomputers with complimentary architecture
 - Two calls a year to grant access to the system

2007	2014	2020
0 Pflop/s	≈20 Pflop/s	200 Pflop/s
0,02 Pflop/s	5,1 Pflop/s	40 Pflop/s
<0,01 Pflop/s	≈1,5 Pflop/s	5 Pflop/s




- CMIP6
 - 300 millions core hours 2016-2018
 - 14 Po (4 Po distributed on ESGF)
 - CLIMERI : S. Joussaume, ESFRI


- **Data produced** by IPSL-CM model will be **distributed** from PRACE **Tier0** and GENCI **Tier1** supercomputing center (estimation : 4 Po).
- IPSL will host a CMIP6 **multi model replication** node on its **Tier2** center (a subset estimated to 4 Po).
- IPSL will provide a **national academic platform** to analyse CMIP6 outcomes on its **Tier2** center.
- IPSL (from its **Tier2** center) will provide access through iPython notebook to code and data that compose **particularly relevant figures**, especially figures from the IPCC report.

Coupled Model Intercomparison Project - CMIP6


CMIP6/AR6 cycle : International community under **strong** pressure



ESGF Continuous Build Platform




Continuous Build



The ESGF software stack project source code is hosted on github repositories. 'Devel' branches are continuously updated with new features by development teams. The distribution binaries are then made available to the community for testing via a web server. Continuous build is useful to be aware of source code quality and inter project dependencies consistency in real time throughout development phases.

ESGF Test and Validation Platform

ESGF Test Infrastructure




ESGF Test Suite

- Python Nose - Test Framework
- Python Requests - HTTP Support
- Python Subprocess - System Execution
- Python Selenium - Browser Simulation
- Python Multiprocessing - Parallelisation





Integration Testing

The ESGF Test Federation is based on vmware virtual machines. It is completely independent from the production federation and is used to run the esgf test suite which performs integration tests in order to validate release candidates.



Replication and Versioning (DM + ESGF)

- Impact on CMIP6 data management (DM) and ESGF governance (ESGF)
- Stable processes which are supervised by a board (the CDNOT Team) are needed for CMIP6 data consistency in ESGF
- CMIP6 data replication architecture:



CMIP6 replication procedure

Data Analysis Environment

Mutualized : 200k€/yr shared funds.

Jointly *delivered* by

→IPSL laboratories.

Joint *users* (initially):

→IPSL community

Joint *users* (target):

→French Academic community

Access services to ESGF System

Users don't have to find, download,
and keep up to date the data they need

CMIP5,
CORDEX
Reanalysis,
Obs4MIPs

...



Analysis capabilities

Environmental Data

Compute Service

Web Service Provision for :

→Climate Science

→Earth Observation

→Environmental studies

Big DATA Platform

Collaboration Environment

→ Access to Curated Archive.

→ Large shared “Group Work
Spaces”

→ climate analysis enabled system

→ + 2.5 PB of high performance
disk coupled to hundreds of cores
configured for analysis

Summary

- We need not only to move computation to data, but aggregate our data collections
- Which required dedicated «HPD» platforms like Tier2 center.
- Security :
 - SELinux might become mandatory at some site !
- CMIP6 Challenges
 - CMIP6 satellite MIPs approach
 - « Decentralised » science
 - « Decentralised » data management
 - Replication, versioning, errata and network
 - Preparing for “near data processing” challenge
 - “download and process at home approach” for data analysis gets more and more problematic



Thank you for your attention

